





### First choice for education and healthcare

Built at an ideal height for both adults and children the B3 also features an ultra-hygienic touch-sensitive control panel, the biggest dispense area in its class for bottles and a tamper-proof rear cover guard for safety.

#### Reasons to choose

- Ultra-hygienic touch sensitive control panel
- High-capacity dispense area for bottles and jugs
- Integrated cup dispenser
- Sealed, hygienic, direct-chill cooling system



Distinctive by design.

 $\bigcap \mathcal{J}$ 

Water system





Direct Chill



Floorstandin

Water options



Chilled



—∕ Hot



Sparkling

Available colours







#### Borg & Overström Totality®



Driven by a relentless pursuit of excellence, Borg & Overström Totality® is a research and development methodology for the advancement of hygiene, innovation and technology in refreshment systems.



impact resistant epoxy
resin panel finish
Providing an increased level
of hygiene and longevity,
Fynil® is a scratch and impact
resistant epoxy-resin surface
finish - effectively resisting
biofilm development and
limescale cohesion.

Biofilm, limescale and



World-class filtration
For the ultimate drinking
experience, Borg & Overström
appliances can be pre-fitted
with a 3M filter to reduce
sediment, chlorine, odours
and scale.





Laboratory certified 99.99% bacteria-reduced Every Borg & Overström appliance undergoes an anti-microbial, antipathogen, sanitising procedure. The reassurance of hygienically safe appliances is provided by the unique bacteria-reducing process, Sterizen®.




Ultra-violet sterilising system
For added hygiene confidence,
appliances can be fitted with
Viovandt™ – an ultra-violet
sterilisation process that
reduces water-born bacteria.

**b**3

borgandoverstrom.com

B3 models
Power requirements Hertz 50/Volts 220-240
Chilled temperature Min 2°C/Max 11°C
Hot temperature Max 92°C
Throughput litres per hour Chilled & Sparkling 30/Hot 6

Floorstanding W325xD380xH1065mm	Water system	Dispense height	Max power consumption	Silver	Black
Chilled & Ambient	Direct Chill	265mm	100W	104021	104023
Chilled, Hot & Ambient	Direct Chill	265mm	550W	104031	104033
Chilled, Ambient & Sparkling	Direct Chill	265mm	140W	104051	104053
Chilled, Hot & Sparkling	Direct Chill	265mm	640W	104041	104043



#### Additions for B3



Biodegradable paper cups Environmentally-friendly disposable cups designed to fit Borg & Overström cup dispensers perfectly.



Personal drinking bottles 500ml capacity in black or grey frosted soft-touch finish. Comes with quick-release leakproof cap and carry strap.



500ml Swing-top bottles Suitable for dishwashers and bottlewashers. Perfect fit for the B3. Stylish swing-top lid.



Sanitisation kit
Six monthly sanitising cycles
ensure appliances function at
the optimum hygiene levels.



Waste kit overflow sensor Featuring an audible highwater level alarm to prevent the waste tank from overflowing.



Leak detection kit
Featuring a moisture sensor
that shuts the water supply in
the unlikely event of a leak.
Included as standard on
floorstanding models.



Install kit with 3M filter Install appliances simply and effectively in a wide range of applications. Complete with a 3M filter.



**Ultra-violet filter kit** Complete Viovandt™ filter kit to assist in water purification and removal of unwanted micro-organisms.



Wall bracket kit
For added security, use the
wall bracket set to anchor your
watercooler back to the wall.
Simple to fit and unobtrusive.



Rear cover kit
Tamper-proof rear cover
anchors the appliance to the
wall and protects plumbing
and electrical connections.
Ideal for public areas.



Contact us for further information on sales and service packages:

Tel: 01 806 6400 foxwatercoolers.com info@foxwatercoolers.com

borgandoverstrom.com